Product Code
10-A001-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Portobello

Benedito Design

Table lamp Portobello LED 2.1W 2700K TOUCH DIMMING Black 137lm

Technical features

Luminaire total power: 2.1W
Real lumens: 137
Real lm/W: 65
Correlated Colour Temperature (CCT): 2700K
Lens / reflector angle: FLOOD 81°
Structure material: ABS
Structure finish: Black
Diffuser material: Methacrylate
Diffuser finish: Sandblasted
Voltage / frequency: 5VDC/1000mA
Dimming protocol: TOUCH DIMMING
Useful life: 50,000h L80B20
Warranty: 5 years


IP44

Luminotechnic features

TM30 RG: 97
TM30 RF: 85
CRI: 92
MacAdam steps: 3
Photobiological risk: RG1
UGR crosswise: 22.9
UGR lengthwise: 22.9

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	2.1W	2700K








Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Portobello

Benedito Design

Table lamp Portobello LED 2.1W 2700K TOUCH DIMMING Black 137lm

Emergency module features

Battery type: Lithium ion

Logistics

x 9

Net weight (kg): 0.41
Packaged weight (kg): 0.71
Packaging: 155mm x 155mm x 320mm

Light application



Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Portobello

Benedito Design

Table lamp Portobello LED 2.1W 2700K TOUCH DIMMING Black 137lm

Accessories included



Charging cable

Optional accessories



71-8332-05-00

Accessorie Cocktail Charger Black

Structure material: Polycarbonate + ABS
Dimensions: 66 x 110 x 22
Net weight (kg): 0.52

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.