

CHARM

Designed by Sara Moroni



TECHNICAL SHEET



SANS SOUCI

TECHNICAL DETAILS

GLASS FINISHING

Main glass sphere: **Upper glass sphere:**	Aurum/Argent/Rose with 25% and 50% transparency Aurum/Argent/Rose 100%
Metal parts:	Polished stainless steel
Canopy included:	Yes
Usage:	Indoor


ELECTRO TECHNICAL DETAILS

Cord color:	Cable with black braid
Cord length:	1800 mm
Light source type:	1 x G9
Socket:	Conventional source
Light source is included:	Yes
Color temperature & Dimming:	2200 K / Dimmable
Input voltage:	220-240 V, 50-60 Hz / 110-120 V, 50-60 Hz
Rated power:	4,5 W
Protection rating:	IP20

*The cable can be adjusted by shortening the wire.
In case of need longer or shorter cord,
please contact your sale person.

TECHNICAL DRAWINGS

HS-**M** *SP*-**M** *SP*-**S**



SIZE	**Dia(mm/in)**	**Heigh(mm/in)**
HS-**M**	300/11,81	245/9,65
SP-**M**	300/11,81	395/15,55
SP-**S**	200/7,87	280/11,02

Attention:
* The product requires professional installation
** Warranty period: depends on teritorry

TECHNICAL DETAILS

GLASS FINISHING

Main glass sphere: **Upper glass sphere:**	Aurum/Argent/Rose with 25% and 50% transparency Aurum/Argent/Rose 100%
Metal parts:	Polished stainless steel / Polished stainless steel with gold lacquer
Canopy included:	No
Usage:	Indoor


ELECTRO TECHNICAL DETAILS

Cord color:	Cable with black braid
Cord length:	1800 mm
Light source type:	1 x G9
Socket:	Conventional source
Light source is included:	Yes
Color temperature & Dimming:	2200 K / Dimmable
Input voltage:	220-240 V, 50-60 Hz / 110-120 V, 50-60 Hz
Rated power:	4,5 W
Protection rating:	IP20

*The cable can be adjusted by shortening the wire.
In case of need longer or shorter cord,
please contact your sale person.

TECHNICAL DRAWINGS

M



SIZE	Dia(mm/in)	Heigh(mm/in)
M	300/11,81	1510/59,45

Attention:
* The product requires professional installation
** Warranty period: depends on teritorry

TECHNICAL DETAILS

GLASS FINISHING

Main glass sphere: **Upper glass sphere:**	Aurum/Argent/Rose with 25% and 50% transparency Aurum/Argent/Rose 100%
Metal parts:	Polished stainless steel / Polished stainless steel with gold lacquer
Canopy included:	No
Usage:	Indoor


ELECTRO TECHNICAL DETAILS

Cord color:	Cable with black braid
Cord length:	1800 mm
Light source type:	1 x G9
Socket:	Conventional source
Light source is included:	Yes
Color temperature & Dimming:	2200 K / Dimmable
Input voltage:	220-240 V, 50-60 Hz / 110-120 V, 50-60 Hz
Rated power:	4,5 W
Protection rating:	IP20

*The cable can be adjusted by shortening the wire.
In case of need longer or shorter cord,
please contact your sale person.

TECHNICAL DRAWINGS

S



SIZE	Dia(mm/in)	Heigh(mm/in)
S	200/7,87	280/11,02

Attention:
* The product requires professional installation
** Warranty period: depends on teritorry

TECHNICAL DETAILS

GLASS FINISHING

Main glass sphere: **Upper glass sphere:**	Aurum/Argent/Rose with 25% and 50% transparency Aurum/Argent/Rose 100%
Metal parts:	Polished stainless steel / Polished stainless steel with gold lacquer
Canopy included:	No
Usage:	Indoor


ELECTRO TECHNICAL DETAILS

Cord color:	Cable with black braid
Cord length:	-
Light source type:	1 x G9
Socket:	Conventional source
Light source is included:	Yes
Color temperature & Dimming:	2200 K / Dimmable
Input voltage:	220-240 V, 50-60 Hz / 110-120 V, 50-60 Hz
Rated power:	4,5 W
Protection rating:	IP20

*The cable can be adjusted by shortening the wire.
In case of need longer or shorter cord,
please contact your sale person.

TECHNICAL DRAWINGS

S



SIZE	Dia(mm/in)	Heigh(mm/in)
S	200/7,87	280/11,02

Attention:
* The product requires professional installation
** Warranty period: depends on teritorry

SANS SOUCI

Country of origin:
Czech Republic

Sans Souci s.r.o.
Vaclavske nam. 804/58,
110 00, Prague 1, Czech Republic

www.sanssoucilighting.com